

PREVENTIV

Objekti: Permiresimi I kushteve te banimit per komunitete te varfera dhe te pafavoriz uara, Bashkia Kelcyre.

BANESA E DONIKA TUMBE

Nr	Analiza	Pershkrimi punimeve	Njesia	Sasia	Çmimi	Shuma
a	b	c	d	e	f	g
I	PUNIME PRISHJE					
1	An.3	Prishje Çati vendi e ekzistuese	m ²	90		0.0
SHUMA I						0.0
II	PUNIME ÇATIE,SUVATIMI,DYER & DRITARE,LYERJE					
1	An.6	Cati vendi me tjegulla marsejeze. (nenshtresa)	m ²	90		0.0
2	2.404	Lyerje me boje hidroplastike	m ²	40		0.0
3	2.312	Suvatime brenda mur quri h-4m me krah, llc M-25	m ²	40		0.0
SHUMA II						0.0
IV	PUNIME MURATURE,BETONIMI&HEKURI,SHTRESE ME PLLAKA,HIDROIZOLIMI,TAVANI					
1	2.121/1	Brez b/a c16/20 (per nivelimin perimatral te murit te gurit i nevojsheem per ndertimin e catise	m ³	4		0.0
2	2.166	F V hekur betoni periodik Ø 6 - 10 mm	ton	0.13		0.0
3	2.167	F V hekur betoni periodik Ø > 12 mm	ton	0.16		0.0
4	2.54/2	Mur quri ne lartesi deri 3m me llac çimento M 25	m ³	3		0.0
5	2.37/5a	Transport mat.ndertimi etj,deri 5 km	m ³	7		0.0
6	An.1	Tavan me material rapote	m ²	38		0.0
SHUMA IV						0.0
SHUMA I+II+III+IV						0.0
TVSH 20%						0.0
TOTALI						0

PREVENTIV

Objekti: Permiresimi I kushteve te banimit per komunitete te varfera dhe te pafavorizuara, Bashkia Kelcyre.

BANESA E KONDI TOSLLUKU

Nr	Analiza	Pershkrimi punimeve	Njesia	Sasia	Çmimi	Shuma
a	b	c	d	e	f	g
I	PUNIME PRISHJE					
1	An.3	Prishje Çati vendi e ekzistuese	m ²	120		0.0
SHUMA I						0.0
II	PUNIME ÇATIE,SUVATIMI,DYER & DRITARE,LYERJE					
1	An.6	Cati vendi me tjegulla marsejeze. (nenshtresa)	m ²	120		0.0
2	2.404	Lyerje me boje hidroplastike	m ²	40		0.0
3	2.312	Suvatime brenda mur quri h-4m me krah. Ilc M-25	m ²	40		0.0
4	2.300	Suva solete h~4m me drejtues, me krah	m ²			0.0
SHUMA II						0.0
IV	PUNIME MURATURE,BETONIMI&HEKURI,SHTRESE ME PLLAKA,HIDROIZOLIMI,TAVANI					
1	2.121/1	Brez b/a c16/20 (per nivelimin perimatral te murit te gurit i nevojshem per ndertimin e catise	m ³	4.2		0.0
2	2.166	F V hekur betoni periodik Ø 6 - 10 mm	ton	0.16		0.0
3	2.167	F V hekur betoni periodik Ø > 12 mm	ton	0.2		0.0
4	2.54/2	Mur quri ne lartesi deri 3m me llac çimento M 25	m ³	3		0.0
5	2.37/5a	Transport mat.ndertimi etj,deri 5 km	m ³	8		0.0
6	An.1	Tavan me material rapote	m ²	55		0.0
SHUMA IV						0.0
SHUMA I+II+III						0.0
TVSH 20%						0.0
TOTALI						0

PREVENTIV

Objekti: Permiresimi I kushteve te banimit per komunitete te varfera dhe te pafavorizuara. Bashkia Kelcyre.

BANESA E SULO SHELE

Nr	Analiza	Pershkrimi punimeve	Njesia	Sasia	Çmimi	Shuma
a	b	c	d	e	f	g
I	PUNIME PRISHJE					
1	An.3	Prishje Çati vendi e ekzistuese	m ²	100		0.0
SHUMA I						0.0
II	PUNIME ÇATIE,SUVATIMI,DYER & DRITARE,LYERJE					
1	An.6	Cati vendi me tjegulla marsejeze, (nenshtresa)	m ²	100		0.0
2	2.404	Lyerje me boje hidroplastike	m ²	30		0.0
3	2.312	Suvatime brenda mur guri h-4m me krah, llc M-25	m ²	30		0.0
SHUMA II						0.0
IV	PUNIME MURATURE,BETONIMI&HEKURI,SHTRESE ME PLLAKA,HIDROIZOLIMI,TAVANI					
1	2.121/1	Brez b/a c16/20 (per nivelimin perimatral te murit te gurit i nevojsheem per ndertimin e catise	m ³	3.7		0.0
2	2.166	F V hekur betoni periodik Ø 6 - 10 mm	ton	0.13		0.0
3	2.167	F V hekur betoni periodik Ø > 12 mm	ton	0.19		0.0
4	2.54/2	Mur guri ne lartesi deri 3m me llac çimento M 25	m ³	2		0.0
5	2.37/5a	Transport mat.ndertimi etj,deri 5 km	m ³	6		0.0
6	An.1	Tavan me material rapote	m ²	43		0.0
SHUMA IV						0.0
SHUMA I+II+III+IV						0.0
TVSH 20%						0.0
TOTALI						0

PREVENTIV

Objekti: Permiresimi I kushteve te banimit per komunitete te varfera dhe te pafavorizuara, Bashkia Kelcyre.

BANESA E SKENDER VELO

Nr	Analiza	Pershkrimi punimeve	Njesia	Sasia	Çmimi	Shuma
a	b	c	d	e	f	g
I	PUNIME PRISHJE					
1	An.3	Prishje Çati vendi e ekzistuese	m ²	90		0.0
SHUMA I						0.0
II	PUNIME ÇATIE,SUVATIMI,DYER & DRITARE,LYERJE					
1	An.6	Cati vendi me tjegulla marsejeze, (nenshtresa)	m ²	90		0.0
2	2.404	Lyerje me boje hidroplastike	m ²	30		0.0
3	2.312	Suvatime brenda mur guri h-4m me krah, llc M-25	m ²	30		0.0
SHUMA II						0.0
IV	PUNIME MURATURE,BETONIMI&HEKURI,SHTRESE ME PLLAKA,HIDROIZOLIMI,TAVANI					
1	2.121/1	Brez b/a c16/20 (per nivelimin perimatral te murit te gurit i nevojshem per ndertimin e catise	m ³	3.5		0.0
2	2.166	F V hekur betoni periodik Ø 6 - 10 mm	ton	0.13		0.0
3	2.167	F V hekur betoni periodik Ø > 12 mm	ton	0.19		0.0
4	2.54/2	Mur guri ne lartesi deri 3m me llac çimento M 25	m ³	2		0.0
5	2.37/5a	Transport mat.ndertimi etj,deri 5 km	m ³	5		0.0
6	An.1	Tavan me material rapote	m ²	42		0.0
SHUMA IV						0.0
SHUMA I+II+III+IV						0.0
TVSH 20%						0.0
TOTALI						0

PREVENTIV

Objekti: Permiresimi I kushteve te banimit per komunitete te varfera dhe te pafavorizuara, Bashkia Kelcyre.

BANESA E NAZMI VELIKO

Nr	Analiza	Pershkrimi punimeve	Njesia	Sasia	Çmimi	Shuma
a	b	c	d	e	f	g
I	PUNIME PRISHJE					
1	An.3	Prishje Çati vendi e ekzistuese	m ²	85		0.0
SHUMA I						0.0
II	PUNIME ÇATIE,SUVATIMI,DYER & DRITARE,LYERJE					
2	An.6	Cati vendi me tjegulla marsejeze. (nenshtresa)	m ²	115		0.0
7	2.404	Lyerje me boje hidroplastike	m ²	30		0.0
8	2.312	Suvatime brenda mur quri h-4m me krah. Ilc M-25	m ²	30		0.0
SHUMA II						0.0
IV	PUNIME MURATURE,BETONIMI&HEKURI,SHTRESE ME PLLAKA,HIDROIZOLIMI,TAVANI					
1	2.121/1	Brez b/a c16/20 (per nivelimin perimatrak te murit te gurit i nevojshem per ndertimin e catise	m ³	3.5		0.0
2	2.166	F V hekur betoni periodik Ø 6 - 10 mm	ton	0.13		0.0
3	2.167	F V hekur betoni periodik Ø > 12 mm	ton	0.2		0.0
4	2.54/2	Mur quri ne lartesi deri 3m me llac cimento M 25	m ³	2		0.0
5	2.37/5a	Transport mat.ndertimi etj,deri 5 km	m ³	8		0.0
6	2.37/1b	Transport materiale me kafshe, deri 1.0 km	ton	20		0.0
7	An.1	Tavan me material rapote	m ²	45		0.0
SHUMA IV						0.0
SHUMA I+II+III+IV						0.0
TVSH 20%						0.0
TOTALI						0

PREVENTIV

Objekti: Permiresimi I kushteve te banimit per komunitete te varfera dhe te pafavorizuara, Bashkia Kelcyre.

BANESA E EDUART HADAJ

Nr	Analiza	Pershkrimi punimeve	Njesia	Sasia	Çmimi	Shuma
a	b	c	d	e	f	g
I	PUNIME PRISHJE					
1	An.3	Prishje Çati vendi e ekzistuese	m ²	70		0.0
SHUMA I						0.0
II	PUNIME ÇATIE,SUVATIMI,DYER & DRITARE,LYERJE					
1	An.6	Cati vendi me tjegulla marsejeze, (nenshtresa)	m ²	130		0.0
2	2.404	Lyerje me boje hidroplastike	m ²	400		0.0
3	2.312	Suvatime brenda mur quri h-4m me krah, llc M-25	m ²	100		0.0
SHUMA II						0.0
IV	PUNIME MURATURE,BETONIMI&HEKURI,SHTRESE ME PLLAKA,HIDROIZOLIMI,TAVANI					
1	2.121/1	Brez b/a c16/20 (per nivelimin perimatral te murit te gurit i nevojshem per ndertimin e catise	m ³	4		0.0
2	2.166	F V hekur betoni periodik Ø 6 - 10 mm	ton	0.16		0.0
3	2.167	F V hekur betoni periodik Ø > 12 mm	ton	0.22		0.0
4	2.54/2	Mur quri ne lartesi deri 3m me llac çimento M 25	m ³	3		0.0
5	2.37/5a	Transport mat.ndertimi etj,deri 5 km	m ³	7		0.0
6	2.37/1b	Transport materiale me kafshe, deri 1.0 km	ton	20		0.0
7	An.1	Tavan me material rapote	m ²	37		0.0
SHUMA IV						0.0
SHUMA I+II+III+IV						0.0
TVSH 20%						0.0
TOTALI						0

PREVENTIV

Objekti: Permiresimi I kushteve te banimit per komunitete te varfera dhe te pafavorizuara, Bashkia Kelcyre.

BANESA E MATO QAFA

Nr	Analiza	Pershkrimi punimeve	Njesia	Sasia	Çmimi	Shuma
a	b	c	d	e	f	g
I	PUNIME PRISHJE					
1	An.3	Prishje Çati vendi e ekzistuese	m ²	80		0.0
SHUMA I						0.0
II	PUNIME ÇATIE,SUVATIMI,DYER & DRITARE,LYERJE					
1	An.6	Cati vendi me tjegulla marsejeze, (nenshtresa)	m ²	112		0.0
2	2.404	Lyerje me boje hidroplastike	m ²	40		0.0
3	2.312	Suvatime brenda mur guri h-4m me krah, llc M-25	m ²	40		0.0
SHUMA II						0.0
IV	PUNIME MURATURE,BETONIMI&HEKURI,SHTRESE ME PLLAKA,HIDROIZOLIMI,TAVANI					
1	2.121/1	Brez b/a c16/20 (per nivelimin perimatral te murit te gurit i nevojshem per ndertimin e catise	m ³	3.5		0.0
2	2.166	F V hekur betoni periodik Ø 6 - 10 mm	ton	0.13		0.0
3	2.167	F V hekur betoni periodik Ø > 12 mm	ton	0.19		0.0
4	2.54/2	Mur guri ne lartesi deri 3m me llaç çimento M 25	m ³	3		0.0
5	2.37/5a	Transport mat.ndertimi etj,deri 5 km	m ³	10		0.0
6	An.1	Tavan me material rapote	m ²	44		0.0
SHUMA IV						0.0
SHUMA I+II+III+IV						0.0
TVSH 20%						0.0
TOTALI						0

PREVENTIV

Objekti: Permiresimi I kushteve te banimit per komunitete te varfera dhe te pafavorizuara. Bashkia Kelcyre.

BANESA E ROLAND HADAJ

Nr	Analiza	Pershkrimi punimeve	Njesia	Sasia	Çmimi	Shuma
a	b	c	d	e	f	g
I	PUNIME PRISHJE					
1	An.3	Prishje Çati vendi e ekzistuese	m ²	80		0.0
SHUMA I						0.0
II	PUNIME ÇATIE,SUVATIMI,DYER & DRITARE,LYERJE					
1	An.6	Cati vendi me tjegulla marsejeze, (nenshtresa)	m ²	95		0.0
2	2.404	Lyerje me boje hidroplastike	m ²	50		0.0
3	2.312	Suvatime brenda mur guri h-4m me krah, llc M-25	m ²	50		0.0
SHUMA II						0.0
IV	PUNIME MURATURE,BETONIMI&HEKURI,SHTRESE ME PLLAKA,HIDROIZOLIMI,TAVANI					
1	2.121/1	Brez b/a c16/20 (per nivelimin perimatral te murit te gurit i nevojshem per ndertimin e catise	m ³	3.5		0.0
2	2.166	F V hekur betoni periodik Ø 6 - 10 mm	ton	0.13		0.0
3	2.167	F V hekur betoni periodik Ø > 12 mm	ton	0.16		0.0
4	2.54/2	Mur guri ne lartesi deri 3m me llac çimento M 25	m ³	3		0.0
5	2.37/5a	Transport mat.ndertimi etj,deri 5 km	m ³	5		0.0
6	2.37/1b	Transport materiale me kafshe, deri 1.0 km	ton	5		0.0
7	An.1	Tavan me material rapote	m ²	43		0.0
SHUMA IV						0.0
SHUMA I+II+III+IV						0.0
TVSH 20%						0.0
TOTALI						0

PREVENTIV

Objekti: Permiresimi I kushteve te banimit per komunitete te varfera dhe te pafavorizuara, Bashkia Kelcyre.

BANESA E LULEZIME HADAJ

Nr	Analiza	Pershkrimi punimeve	Njesia	Sasia	Çmimi	Shuma
a	b	c	d	e	f	g
I	PUNIME PRISHJE					
1	An.3	Prishje Çati vendi e ekzistuese	m ²	95		0.0
SHUMA I						0.0
II	PUNIME ÇATIE,SUVATIMI,DYER & DRITARE,LYERJE					
1	An.6	Cati vendi me tjegulla marsejeze, (nenshtresa)	m ²	95		0.0
SHUMA II						0.0
IV	PUNIME MURATURE,BETONIMI&HEKURI,SHTRESE ME PLLAKA,HIDROIZOLIMI,TAVANI					
1	2.121/1	Brez b/a c16/20 (per nivelimin perimatral te murit te gurit i nevojshem per ndertimin e catise	m ³	4		0.0
2	2.166	F V hekur betoni periodik Ø 6 - 10 mm	ton	0.16		0.0
3	2.167	F V hekur betoni periodik Ø > 12 mm	ton	0.22		0.0
4	2.54/2	Mur guri ne lartesi deri 3m me llaç cemento M 25	m ³	3		0.0
5	2.37/5a	Transport mat.ndertimi etj,deri 5 km	m ³	10		0.0
6	An.1	Tavan me material rapote	m ²	47		0.0
SHUMA IV						0.0
SHUMA I+II+III+IV						0.0
TVSH 20%						0.0
TOTALI						0

PREVENTIV

Objekti: Permiresimi I kushteve te banimit per komunitete te varfera dhe te pafavorizuara, Bashkia Kelcyre.

BANESA E STOLI YZAJ

Nr	Analiza	Pershkrimi punimeve	Njesia	Sasia	Çmimi	Shuma
a	b	c	d	e	f	g
I	PUNIME PRISHJE					
1	An.3	Prishje Çati vendi e ekzistuese	m ²	80		0.0
SHUMA I						0.0
II	PUNIME ÇATIE,SUVATIMI,DYER & DRITARE,LYERJE					
1	An.6	Cati vendi me tjegulla marsejeze, (nenshtresa)	m ²	110		0.0
SHUMA II						0.0
IV	PUNIME MURATURE,BETONIMI&HEKURI,SHTRESE ME PLLAKA,HIDROIZOLIMI,TAVANI					
1	2.121/1	Brez b/a c16/20 (per nivelimin perimatral te murit te gurit i nevojshem per ndertimin e catise	m ³	3.4		0.0
2	2.166	F V hekur betoni periodik Ø 6 - 10 mm	ton	0.13		0.0
3	2.167	F V hekur betoni periodik Ø > 12 mm	ton	0.18		0.0
4	2.37/5a	Transport mat.ndertimi etj,deri 5 km	m ³	5		0.0
5	An.1	Tavan me material rapote	m ²	43		0.0
SHUMA IV						0.0
SHUMA I+II+III+IV						0.0
TVSH 20%						0.0
TOTALI						0

PREVENTIV

Objekti: Permiresimi I kushteve te banimit per komunitete te varfera dhe te pafavorizuara, Bashkia Kelcyre.

BANESA E HALIME QERIMI

Nr	Analiza	Pershkrimi punimeve	Njesia	Sasia	Çmimi	Shuma
a	b	c	d	e	f	g
I	PUNIME PRISHJE					
1	An.3	Prishje Çati vendi e ekzistuese	m ²	88		0.0
SHUMA I						0.0
II	PUNIME ÇATIE,SUVATIMI,DYER & DRITARE,LYERJE					
1	An.6	Cati vendi me tjegulla marsejeze, (nenshtresa)	m ²	88		0.0
2	2.404	Lyerje me boje hidroplastike	m ²	20		0.0
3	2.312	Suvatime brenda mur guri h-4m me krah, llc M-25	m ²	20		0.0
SHUMA II						0.0
IV	PUNIME MURATURE,BETONIMI&HEKURI,SHTRESE ME PLLAKA,HIDROIZOLIMI,TAVANI					
1	2.121/1	Brez b/a c16/20 (per nivelimin perimatral te murit te gurit i nevojshem per ndertimin e catise	m ³	3.5		0.0
2	2.166	F V hekur betoni periodik Ø 6 - 10 mm	ton	0.13		0.0
3	2.167	F V hekur betoni periodik Ø > 12 mm	ton	0.19		0.0
4	2.54/2	Mur guri ne lartesi deri 3m me llac çimento M 25	m ³	4		0.0
5	2.37/5a	Transport mat.ndertimi etj,deri 5 km	m ³	7		0.0
6	2.37/1b	Transport materiale me kafshe, deri 1.0 km	ton	15		0.0
7	An.1	Tavan me material rapote	m ²	43		0.0
SHUMA IV						0.0
SHUMA I+II+III+IV						0.0
TVSH 20%						0.0
TOTALI						0

PREVENTIV

Objekti: Permiresimi I kushteve te banimit per komunitete te varfera dhe te pafavorizuara, Bashkia Kelcyre.

BANESA E LUFTI SHEHU

Nr	Analiza	Pershkrimi punimeve	Njesia	Sasia	Çmimi	Shuma
a	b	c	d	e	f	g
I	PUNIME PRISHJE					
1	An.3	Prishje Çati vendi e ekzistuese	m ²	110		0.0
SHUMA I						0.0
II	PUNIME ÇATIE,SUVATIMI,DYER & DRITARE,LYERJE					
1	An.6	Cati vendi me tjegulla marsejeze, (nenshtresa)	m ²	110		0.0
2	2.404	Lyerje me boje hidroplastike	m ²	30		0.0
3	2.312	Suvatime brenda mur quri h-4m me krah, llc M-25	m ²	30		0.0
SHUMA II						0.0
IV	PUNIME MURATURE,BETONIMI&HEKURI,SHTRESE ME PLLAKA,HIDROIZOLIMI,TAVANI					
1	2.121/1	Brez b/a c16/20 (per nivelimin perimatral te murit te gurit i nevojshem per ndertimin e catise	m ³	4		0.0
2	2.166	F V hekur betoni periodik Ø 6 - 10 mm	ton	0.16		0.0
3	2.167	F V hekur betoni periodik Ø > 12 mm	ton	0.22		0.0
4	2.54/2	Mur quri ne lartesi deri 3m me llac çimento M 25	m ³	3		0.0
5	2.37/5a	Transport mat.ndertimi etj,deri 5 km	m ³	10		0.0
6	2.37/1b	Transport materiale me kafshe, deri 1.0 km	ton	20		0.0
7	An.1	Tavan me material rapote	m ²	58		0.0
SHUMA IV						0.0
SHUMA I+II+III+IV						0.0
TVSH 20%						0.0
TOTALI						0

PREVENTIV

Objekti: Permiresimi I kushteve te banimit per komunitete te varfera dhe te pafavorizuara. Bashkia Kelcyre.

BANESA E VIRON VANGJELI

Nr	Analiza	Pershkrimi punimeve	Njesia	Sasia	Çmimi	Shuma
a	b	c	d	e	f	g
I	PUNIME ÇATIE,SUVATIMI,DYER & DRITARE,LYERJE					
1	An.6	Cati vendi me tjegulla marsejeze, (nenshtresa)	m ²	120		0.0
2	2.404	Lyerje me boje hidroplastike	m ²	300		0.0
3	2.312	Suvatime brenda mur guri h-4m me krah, llc M-25	m ²	80		0.0
SHUMA I						0.0
SHUMA I						0.0
TVSH 20%						0.0
TOTALI						0

PREVENTIV

Objekti: Permiresimi I kushteve te banimit per komunitete te varfera dhe te pafavorizuara. Bashkia Kelcyre.

BANESA E ARTOR MESHINI

Nr	Analiza	Pershkrimi punimeve	Njesia	Sasia	Çmimi	Shuma
a	b	c	d	e	f	g
I	PUNIME PRISHJE					
1	An.3	Prishje Çati vendi e ekzistuese	m ²	120		0.0
SHUMA I						0.0
II	PUNIME ÇATIE,SUVATIMI,DYER & DRITARE,LYERJE					
1	An.6	Cati vendi me tjegulla marsejeze, (nenshtresa)	m ²	120		0.0
SHUMA II						0.0
IV	PUNIME MURATURE,BETONIMI&HEKURI,SHTRESE ME PLLAKA,HIDROIZOLIMI,TAVANI					
1	2.121/1	Brez b/a c16/20 (per nivelimin perimatral te murit te gurit i nevojshe per ndertimin e catise	m ³	3		0.0
2	2.166	F V hekur betoni periodik Ø 6 - 10 mm	ton	0.13		0.0
3	2.167	F V hekur betoni periodik Ø > 12 mm	ton	0.18		0.0
4	2.54/2	Mur guri ne lartesi deri 3m me llaç çimento M 25	m ³	1		0.0
5	2.37/5a	Transport mat.ndertimi etj,deri 5 km	m ³	10		0.0
6	An.1	Tavan me material rapote	m ²	20		0.0
SHUMA IV						0.0
SHUMA I+II+III+IV						0.0
TVSH 20%						0.0
TOTALI						0

PREVENTIV

Objekti: Permiresimi I kushteve te banimit per komunitete te varfera dhe te pafavorizuara, Bashkia Kelcyre.

BANESA E HYSEN SPAHIU

Nr	Analiza	Pershkrimi punimeve	Njesia	Sasia	Çmimi	Shuma
a	b	c	d	e	f	g
I	PUNIME PRISHJE					
1	An.3	Prishje Çati vendi e ekzistuese	m ²	130		0.0
SHUMA I						0.0
II	PUNIME ÇATIE,SUVATIMI,DYER & DRITARE,LYERJE					
1	An.6	Cati vendi me tjegulla marsejeze, (nenshtresa)	m ²	130		0.0
2	2.404	Lyerje me boje hidroplastike	m ²	50		0.0
3	2.312	Suvatime brenda mur quri h-4m me krah, llc M-25	m ²	50		0.0
SHUMA II						0.0
IV	PUNIME MURATURE,BETONIMI&HEKURI,SHTRESE ME PLLAKA,HIDROIZOLIMI,TAVANI					
1	2.121/1	Brez b/a c16/20 (per nivelimin perimatral te murit te gurit i nevojshem per ndertimin e catise	m ³	4.5		0.0
2	2.166	F V hekur betoni periodik Ø 6 - 10 mm	ton	0.18		0.0
3	2.167	F V hekur betoni periodik Ø > 12 mm	ton	0.25		0.0
4	2.54/2	Mur quri ne lartesi deri 3m me llac cimento M 25	m ³	5		0.0
5	2.37/5a	Transport mat.ndertimi etj,deri 5 km	m ³	12		0.0
6	An.1	Tavan me material rapote	m ²	65		0.0
SHUMA IV						0.0
SHUMA I+II+III+IV						0.0
TVSH 20%						0.0
TOTALI						0

PREVENTIV

Objekti: Permiresimi I kushteve te banimit per komunitete te varfera dhe te pafavorizuara, Bashkia Kelcyre.

BANESA E VINJA HADAJ

Nr	Analiza	Pershkrimi punimeve	Njesia	Sasia	Çmimi	Shuma
a	b	c	d	e	f	g
I	PUNIME PRISHJE					
1	An.3	Prishje Çati vendi e ekzistuese	m ²	115		0.0
SHUMA I						0.0
II	PUNIME ÇATIE,SUVATIMI,DYER & DRITARE,LYERJE					
1	An.6	Cati vendi me tjegulla marsejeze, (nenshtresa)	m ²	115		0.0
2	2.404	Lyerje me boje hidroplastike	m ²	80		0.0
3	2.312	Suvatime brenda mur guri h-4m me krah, llc M-25	m ²	80		0.0
SHUMA II						0.0
IV	PUNIME MURATURE,BETONIMI&HEKURI,SHTRESE ME PLLAKA,HIDROIZOLIMI,TAVANI					
1	2.121/1	Brez b/a c16/20 (per nivelimin perimatral te murit te gurit i nevojshem per ndertimin e catise	m ³	3.5		0.0
2	2.166	F V hekur betoni periodik Ø 6 - 10 mm	ton	0.14		0.0
3	2.167	F V hekur betoni periodik Ø > 12 mm	ton	0.18		0.0
4	2.54/2	Mur guri ne lartesi deri 3m me llaç çimento M 25	m ³	1		0.0
5	2.37/5a	Transport mat.ndertimi etj,deri 5 km	m ³	10		0.0
6	An.1	Tavan me material rapote	m ²	60		0.0
SHUMA IV						0.0
SHUMA I+II+III+IV						0.0
TVSH 20%						0.0
TOTALI						0

PREVENTIV

Objekti: Permiresimi I kushteve te banimit per komunitete te varfera dhe te pafavorizuara. Bashkia Kelcyre.

BANESA E GEZIM REXHEPI

Nr	Analiza	Pershkrimi punimeve	Njesia	Sasia	Çmimi	Shuma
a	b	c	d	e	f	g
I	PUNIME PRISHJE					
1	An.3	Prishje Çati vendi e ekzistuese	m ²	140		0.0
SHUMA I						0.0
II	PUNIME ÇATIE,SUVATIMI,DYER & DRITARE,LYERJE					
1	An.6	Cati vendi me tjegulla marsejeze, (nenshtresa)	m ²	140		0.0
2	2.404	Lyerje me boje hidroplastike	m ²	35		0.0
3	2.312	Suvatime brenda mur guri h-4m me krah, llc M-25	m ²	35		0.0
SHUMA II						0.0
IV	PUNIME MURATURE,BETONIMI&HEKURI,SHTRESE ME PLLAKA,HIDROIZOLIMI,TAVANI					
1	2.121/1	Brez b/a c16/20 (per nivelimin perimatral te murit te gurit i nevojshe per ndertimin e catise	m ³	5		0.0
2	2.166	F V hekur betoni periodik Ø 6 - 10 mm	ton	0.18		0.0
3	2.167	F V hekur betoni periodik Ø > 12 mm	ton	0.25		0.0
4	2.54/2	Mur guri ne lartesi deri 3m me llac çimento M 25	m ³	5		0.0
5	2.37/5a	Transport mat.ndertimi etj,deri 5 km	m ³	15		0.0
6	An.1	Tavan me material rapote	m ²	72		0.0
SHUMA IV						0.0
SHUMA I+II+III+IV						0.0
TVSH 20%						0.0
TOTALI						0

PREVENTIV

Objekti: Permiresimi I kushteve te banimit per komunitete te varfera dhe te pafavorizuara, Bashkia Kelcyre.

BANESA E LULE HADAJ

Nr	Analiza	Pershkrimi punimeve	Njesia	Sasia	Çmimi	Shuma
a	b	c	d	e	f	g
I	PUNIME PRISHJE					
1	An.3	Prishje Çati vendi e ekzistuese	m ²	104		0.0
SHUMA I						0.0
II	PUNIME ÇATIE,SUVATIMI,DYER & DRITARE,LYERJE					
1	An.6	Cati vendi me tjegulla marsejeze, (nenshtresa)	m ²	104		0.0
SHUMA II						0.0
IV	PUNIME MURATURE,BETONIMI&HEKURI,SHTRESE ME PLLAKA,HIDROIZOLIMI,TAVANI					
1	2.121/1	Brez b/a c16/20 (per nivelimin perimatral te murit te gurit i nevojshem per ndertimin e catise	m ³	3.5		0.0
2	2.166	F V hekur betoni periodik Ø 6 - 10 mm	ton	0.13		0.0
3	2.167	F V hekur betoni periodik Ø > 12 mm	ton	0.19		0.0
4	2.54/2	Mur guri ne lartesi deri 3m me llac çimento M 25	m ³	1		0.0
5	2.37/5a	Transport mat.ndertimi etj,deri 5 km	m ³	10		0.0
6	An.1	Tavan me material rapote	m ²	43		0.0
SHUMA IV						0.0
SHUMA I+II+III+IV						0.0
TVSH 20%						0.0
TOTALI						0

PREVENTIV

Objekti: Permiresimi I kushteve te banimit per komunitete te varfera dhe te pafavorizuara. Bashkia Kelcyre.

BANESA E QEMAL RRAPO

Nr	Analiza	Pershkrimi punimeve	Njesia	Sasia	Çmimi	Shuma
a	b	c	d	e	f	g
I	PUNIME PRISHJE					
1	An.3	Prishje Çati vendi e ekzistuese	m ²	110		0.0
SHUMA I						0.0
II	PUNIME ÇATIE,SUVATIMI,DYER & DRITARE,LYERJE					
1	An.6	Cati vendi me tjegulla marsejeze, (nenshtresa)	m ²	110		0.0
2	2.404	Lyerje me boje hidroplastike	m ²	40		0.0
3	2.312	Suvatime brenda mur guri h-4m me krah, llc M-25	m ²	40		0.0
SHUMA II						0.0
IV	PUNIME MURATURE,BETONIMI&HEKURI,SHTRESE ME PLLAKA,HIDROIZOLIMI,TAVANI					
1	2.121/1	Brez b/a c16/20 (per nivelimin perimatral te murit te gurit i nevojshem per ndertimin e catise	m ³	3.5		0.0
2	2.166	F V hekur betoni periodik Ø 6 - 10 mm	ton	0.13		0.0
3	2.167	F V hekur betoni periodik Ø > 12 mm	ton	0.19		0.0
4	2.54/2	Mur guri ne lartesi deri 3m me llac çimento M 25	m ³	4		0.0
5	2.37/5a	Transport mat.ndertimi etj,deri 5 km	m ³	10		0.0
6	2.37/1b	Transport materiale me kafshe, deri 1.0 km	ton	20		0.0
7	An.1	Tavan me material rapote	m ²	50		0.0
SHUMA IV						0.0
SHUMA I+II+III+IV						0.0
TVSH 20%						0.0
TOTALI						0

PREVENTIV

Objekti: Permiresimi I kushteve te banimit per komunitete te varfera dhe te pafavorizuara, Bashkia Kelcyre.

BANESA E HEKTOR JONUZI

Nr	Analiza	Pershkrimi punimeve	Njesia	Sasia	Çmimi	Shuma
a	b	c	d	e	f	g
I	PUNIME PRISHJE					
1	An.3	Prishje Çati vendi e ekzistuese	m ²	90		0.0
SHUMA I						0.0
II	PUNIME ÇATIE,SUVATIMI,DYER & DRITARE,LYERJE					
1	An.6	Cati vendi me tjegulla marsejeze, (nenshtresa)	m ²	90		0.0
2	2.404	Lyerje me boje hidroplastike	m ²	60		0.0
3	2.312	Suvatime brenda mur quri h-4m me krah, llc M-25	m ²	60		0.0
SHUMA II						0.0
IV	PUNIME MURATURE,BETONIMI&HEKURI,SHTRESE ME PLLAKA,HIDROIZOLIMI,TAVANI					
1	2.121/1	Brez b/a c16/20 (per nivelimin perimatral te murit te gurit i nevojshem per ndertimin e catise	m ³	3.5		0.0
2	2.166	F V hekur betoni periodik Ø 6 - 10 mm	ton	0.12		0.0
3	2.167	F V hekur betoni periodik Ø > 12 mm	ton	0.18		0.0
4	2.54/2	Mur quri ne lartesi deri 3m me llac cimento M 25	m ³	4		0.0
5	2.37/5a	Transport mat.ndertimi etj,deri 5 km	m ³	5		0.0
6	An.1	Tavan me material rapote	m ²	40		0.0
SHUMA IV						0.0
SHUMA I+II+III+IV						0.0
TVSH 20%						0.0
TOTALI						0

PREVENTIV

Objekti: Permiresimi I kushteve te banimit per komunitete te varfera dhe te pafavorizuara, Bashkia Kelcyre.

BANESA E ANTHULLA JONUZI

Nr	Analiza	Pershkrimi punimeve	Njesia	Sasia	Çmimi	Shuma
a	b	c	d	e	f	g
I	PUNIME PRISHJE					
1	An.3	Prishje Çati vendi e ekzistuese	m ²	70		0.0
SHUMA I						0.0
II	PUNIME ÇATIE,SUVATIMI,DYER & DRITARE,LYERJE					
1	An.6	Cati vendi me tjegulla marsejeze, (nenshtresa)	m ²	105		0.0
2	2.404	Lyerje me boje hidroplastike	m ²	30		0.0
3	2.312	Suvatime brenda mur quri h-4m me krah, llc M-25	m ²	30		0.0
SHUMA II						0.0
IV	PUNIME MURATURE,BETONIMI&HEKURI,SHTRESE ME PLLAKA,HIDROIZOLIMI,TAVANI					
1	2.121/1	Brez b/a c16/20 (per nivelimin perimatral te murit te gurit i nevojshem per ndertimin e catise	m ³	3.3		0.0
2	2.166	F V hekur betoni periodik Ø 6 - 10 mm	ton	0.12		0.0
3	2.167	F V hekur betoni periodik Ø > 12 mm	ton	0.16		0.0
4	2.54/2	Mur quri ne lartesi deri 3m me llac cimento M 25	m ³	1		0.0
5	2.37/5a	Transport mat.ndertimi etj,deri 5 km	m ³	5		0.0
6	An.1	Tavan me material rapote	m ²	35		0.0
SHUMA IV						0.0
SHUMA I+II+III+IV						0.0
TVSH 20%						0.0
TOTALI						0

PREVENTIV

Objekti: Permiresimi I kushteve te banimit per komunitete te varfera dhe te pafavorizuara. Bashkia Kelcyre.

BANESA E ISUF BULLUTU

Nr	Analiza	Pershkrimi punimeve	Njesia	Sasia	Çmimi	Shuma
a	b	c	d	e	f	g
I	PUNIME PRISHJE					
1	An.3	Prishje Çati vendi e ekzistuese	m ²	90		0.0
SHUMA I						0.0
II	PUNIME ÇATIE,SUVATIMI,DYER & DRITARE,LYERJE					
1	An.6	Cati vendi me tjegulla marsejeze, (nenshtresa)	m ²	90		0.0
2	2.404	Lyerje me boje hidroplastike	m ²	30		0.0
3	2.312	Suvatime brenda mur guri h-4m me krah, llc M-25	m ²	30		0.0
SHUMA II						0.0
IV	PUNIME MURATURE,BETONIMI&HEKURI,SHTRESE ME PLLAKA,HIDROIZOLIMI,TAVANI					
1	2.121/1	Brez b/a c16/20 (per nivelimin perimatral te murit te gurit i nevojshem per ndertimin e catise	m ³	3.5		0.0
2	2.166	F V hekur betoni periodik Ø 6 - 10 mm	ton	0.13		0.0
3	2.167	F V hekur betoni periodik Ø > 12 mm	ton	0.18		0.0
4	2.54/2	Mur guri ne lartesi deri 3m me llac çimento M 25	m ³	1		0.0
5	2.37/5a	Transport mat.ndertimi etj,deri 5 km	m ³	5		0.0
6	2.37/1b	Transport materiale me kafshe, deri 1.0 km	ton	10		0.0
7	An.1	Tavan me material rapote	m ²	50		0.0
SHUMA IV						0.0
SHUMA I+II+III+IV						0.0
TVSH 20%						0.0
TOTALI						0

PREVENTIV

Objekti: Permiresimi I kushteve te banimit per komunitete te varfera dhe te pafavorizuara, Bashkia Kelcyre.

BANESA E ALEM BEQIRI

Nr	Analiza	Pershkrimi punimeve	Njesia	Sasia	Çmimi	Shuma
a	b	c	d	e	f	g
I	PUNIME ÇATIE,SUVATIMI,DYER & DRITARE,LYERJE					
1	An.6	Cati vendi me tjegulla marsejeze, (nenshtresa)	m ²	165.361		0.0
SHUMA I						0.0
SHUMA I						0.0
TVSH 20%						0.0
TOTALI						0